

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of issue: 18/03/2013 Revision date: 03/07/2025 Supersedes version of: 11/01/2023 Version: 2.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name : Iso-Amyl alcohol AGR

Chemical name : pentanol isomers, with the exception of those specified elsewhere in this Annex

 IUPAC name
 : 3-methylbutan-1-ol

 EC Index-No.
 : 603-006-00-7

 EC-No.
 : 204-633-5

 CAS-No.
 : 123-51-3

 Product code
 : AMYL-00A

 Formula
 : C5H12O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Laboratory use

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.

Migjorn, 1

P.O. Box Barcelona (SPAIN)

08338 Premia de Dalt, SPAIN

FS

T +34 937 07 79 70, F +34 937 909 532

info@labbox.com, www.labbox.com

1.4. Emergency telephone number

Emergency number

: +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Acute toxicity (inhal.), Category 4

Skin corrosion/irritation, Category 2

H315

Serious eye damage/eye irritation, Category 1

H318

Specific target organ toxicity — Single exposure, Category 3,

H335

Respiratory tract irritation

Full text of H and EUH statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS05

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

 Substance type
 : Mono-constituent

 Name
 : Iso-Amyl alcohol

 CAS-No.
 : 123-51-3

 EC-No.
 : 204-633-5

 EC Index-No.
 : 603-006-00-7

Name	Product identifier	%
ISOAMYL ALCOHOL	CAS-No.: 123-51-3 EC-No.: 204-633-5	>99
1-pentanol	CAS-No.: 71-41-0 EC-No.: 200-752-1 EC Index-No.: 603-200-00-1	<1

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial

respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash contaminated clothing before reuse. Wash with plenty of water/.... Get immediate

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

03/07/2025 (Revision date) EN (English) 2/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation. Danger of serious damage to health by prolonged exposure

through inhalation.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking. Symptoms/effects after eye contact : Pain. redness, itching, tears. Causes serious eye damage.

Symptoms/effects after ingestion : nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Carbon dioxide. Foam. Dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : fume.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage.

For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

For emergency responders

Protective equipment : Breathing apparatus. Equip cleanup crew with proper protection. Use personal protective

equipment as required.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel

into container for disposal. This material and its container must be disposed of in a safe

way, and as per local legislation. Collect spillage.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Keep containers closed.

Precautions for safe handling : Ensure good ventilation of the work station. Eliminate all ignition sources if safe to do so.

Wear personal protective equipment. Do not eat, drink or smoke when using this product.

Take precautionary measures against static discharge.

03/07/2025 (Revision date) EN (English) 3/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Store in a well-ventilated place. Keep container tightly closed.

Storage area : Store away from heat. Store in a dry area. Remove all sources of ignition. Only store

product in original container. Store in a cool, well-ventilated place. Labelling.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Iso-Amyl alcohol AGR (123-51-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	18 mg/m³

DNEL and PNEC

Iso-Amyl alcohol AGR (123-51-3)		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	292 mg/m³	
Acute - local effects, inhalation	292 mg/m³	
Long-term - systemic effects, inhalation	73,16 mg/m³	
Long-term - local effects, inhalation	73,16 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	256,4 mg/m³	
Acute - local effects, inhalation	256,4 mg/m³	
Long-term - systemic effects,oral	25 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	15,4 mg/m³	
Long-term - local effects, inhalation	15,4 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0,255 mg/l	
PNEC aqua (marine water)	0,0255 mg/l	
PNEC aqua (intermittent, freshwater)	2,55 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1,05 mg/kg dwt	
PNEC sediment (marine water)	0,105 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0,061 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	37 mg/l	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Do not inhale vapour.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection	
Туре	Standard
Protective clothing	

Hand protection:

Protective gloves against chemicals (EN 374)

Respiratory protection

Respiratory protection:

Wear appropriate mask

Respiratory protection			
Device	Filter type	Condition	Standard
	Type P1		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Molecular mass : 88,15 g/mol
Odour : characteristic.
Odour threshold : Not available

Melting point : -147 °C Atm. press.: 1013 hPa Decomposition: 'no'

Freezing point : Not available

Boiling point : 130,7 °C Atm. press.: 1013,25 hPa

Flammability : Not available Lower explosion limit : 1 vol % Upper explosion limit : Not available

Flash point : 43,5 °C Atm. press.: 1013 hPa

Auto-ignition temperature : Not available
Decomposition temperature : Not available

pH : 6,5

Viscosity, kinematic : 5,32 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, dynamic : 4,3 mPa·s Temp.: '20°C' Parameter: 'dynamic viscosity (in mPa s)'

Solubility : Water: 2,64 %

Ethanol: 1,35
: Not available

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 3 hPa Temp.: 20 °C Vapour pressure at 50 °C : Not available

Density : 0,81 g/cm³ Type: 'density' Temp.: 20 °C

Relative density : Not available Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixture with air.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Oxidizing materials.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

Iso-Amyl alcohol AGR (123-51-3)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	≈ 3216 mg/kg bodyweight Animal: rabbit, Animal sex: male, 95% CL: 2373 - 4350

Skin corrosion/irritation : Causes skin irritation.

pH: 6,5

Serious eye damage/irritation : Causes serious eye damage.

pH: 6,5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-pentanol (71-41-0)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Iso-Amyl alcohol AGR (123-51-3)		
NOAEL (oral, rat, 90 days)	1250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
Aspiration hazard : Not classified		
Iso-Amyl alcohol AGR (123-51-3)		
Viscosity, kinematic	5,32 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Iso-Amyl alcohol AGR (123-51-3)	
LC50 - Fish [1]	700 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Daphnia [1]	255 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	493 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	274 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	181 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

Iso-Amyl alcohol AGR (123-51-3)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	84 %	
1-pentanol (71-41-0)		
Persistence and degradability	Rapidly degradable	
ISOAMYL ALCOHOL (123-51-3)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Must follow special treatment according to local regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1105

 UN-No. (IMDG)
 : UN 1105

 UN-No. (IATA)
 : UN 1105

 UN-No. (ADN)
 : UN 1105

 UN-No. (RID)
 : UN 1105

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PENTANOLS
Proper Shipping Name (IMDG) : PENTANOLS
Proper Shipping Name (IATA) : Pentanols
Proper Shipping Name (ADN) : PENTANOLS
Proper Shipping Name (RID) : PENTANOLS

Transport document description (ADR) (ADR)

Transport document description (IMDG)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (ADN)

Transport document description (ADN)

Transport document description (RID)

UN 1105 PENTANOLS, 3, III

Transport document description (RID)

UN 1105 PENTANOLS, 3, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



IATA

Transport hazard class(es) (IATA) : 3 3 Danger labels (IATA)



ADN

Transport hazard class(es) (ADN) Danger labels (ADN) 3



RID

Transport hazard class(es) (RID)





14.4. Packing group

Packing group (ADR) : 111 Packing group (IMDG) : 111 Packing group (IATA) : 111 Packing group (ADN) : III Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant No : F-E EmS-No. (Fire) EmS-No. (Spillage)

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBF : FL Vehicle for tank carriage : 3 Transport category (ADR) Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Operation (ADR) : S2 : 30 Hazard identification number (Kemler No.)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 30

1105

Tunnel restriction code (ADR) : D/E EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 223 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 : TP1 Tank special provisions (IMDG) Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless liquids with a strong odour. Immiscible with water. Explosive limits: 1.2% to

10.5%.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L PCA packing instructions (IATA) 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

No REACH Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Iso-Amyl alcohol AGR is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV).

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Ontwikkeling

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H315;H318;H332;H335>; Emergency management guidelines for the storage

of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

03/07/2025 (Revision date) EN (English) 11/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
EUH066	Repeated exposure may cause skin dryness or cracking.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.