

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Date of issue: 08/04/2011 Revision date: 29/01/2025 Supersedes version of: 12/09/2023 Version: 3.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: Hydrochloric acid 1 mol/L (1N), concentrated
Trade name	: Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L
UFI	: 0520-J0JM-K008-C7QH
EC Index-No.	: 017-002-01-X
EC-No.	: 231-595-7;231-596-7
CAS-No.	: 7647-01-0
Product code	: CHAC-1C0
Formula	: HCl

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Laboratory use

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.
Migjorn, 1
P.O. Box Barcelona (SPAIN)
08338 Premia de Dalt, SPAIN
ES
T +34 937 07 79 70, F +34 937 909 532
info@labbox.com, www.labbox.com

1.4. Emergency telephone number

Emergency number : +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3,	H335
Respiratory tract irritation	
Full text of H and EUH statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.
H318 - Causes serious eye damage.
Precautionary statements (CLP) : P234 - Keep only in original packaging.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

2.3. Other hazards

PBT: not relevant – no registration required

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HYDROCHLORIC ACID	CAS-No.: 7647-01-0 EC-No.: 231-595-7;231-596-7 EC Index-No.: 017-002-00-2	10<25	Press. Gas Acute Tox. 3 (Inhalation), H331 Skin Corr. 1A, H314

Full text of H and EUH statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Abdominal pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Sand. Carbon dioxide. Dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Corrosive vapours.

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage.

For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: May be corrosive to metals.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.
Storage area	: Store away from heat. Store in a well-ventilated place.
Special rules on packaging	: Store in a closed container. Keep only in original container.

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L (7647-01-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Hydrogen chloride
IOEL TWA	8 mg/m ³
	5 ppm
IOEL STEL	15 mg/m ³
	10 ppm
France - Occupational Exposure Limits	
Local name	Chlorure d'hydrogène (Acide chlorhydrique)
VLE (OEL Ceiling/STEL)	7,6 mg/m ³
	5 ppm
Remark	Valeurs réglementaires contraignantes
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Hydrogenchlorid
AGW (OEL TWA)	3 mg/m ³
	2 ppm
Remark	DFG,EU,Y
Italy - Occupational Exposure Limits	
Local name	Acido cloridrico
OEL TWA	8 mg/m ³
	5 ppm
OEL STEL	15 mg/m ³
	10 ppm
Portugal - Occupational Exposure Limits	
Local name	Ácido clorídrico
OEL Ceiling	2 ppm
Spain - Occupational Exposure Limits	
Local name	Cloruro de hidrógeno
VLA-ED (OEL TWA)	7,6 mg/m ³
	5 ppm
VLA-EC (OEL STEL)	15 mg/m ³
	10 ppm

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L (7647-01-0)	
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país).
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen chloride
WEL TWA (OEL TWA)	2 mg/m ³ gas and aerosol mists
	1 ppm gas and aerosol mists
WEL STEL	8 mg/m ³ gas and aerosol mists
	5 ppm gas and aerosol mists
HYDROCHLORIC ACID (7647-01-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Hydrogen chloride
IOEL TWA	8 mg/m ³
	5 ppm
IOEL STEL	15 mg/m ³
	10 ppm
France - Occupational Exposure Limits	
Local name	Chlorure d'hydrogène (Acide chlorhydrique)
VLE (OEL Ceiling/STEL)	7,6 mg/m ³
	5 ppm
Remark	Valeurs réglementaires contraignantes
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Hydrogenchlorid
AGW (OEL TWA)	3 mg/m ³
	2 ppm
Remark	DFG,EU,Y
Italy - Occupational Exposure Limits	
Local name	Acido cloridrico
OEL TWA	8 mg/m ³
	5 ppm
OEL STEL	15 mg/m ³
	10 ppm
Portugal - Occupational Exposure Limits	
Local name	Ácido clorídrico
OEL Ceiling	2 ppm

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HYDROCHLORIC ACID (7647-01-0)	
Spain - Occupational Exposure Limits	
Local name	Cloruro de hidrógeno
VLA-ED (OEL TWA)	7,6 mg/m ³
	5 ppm
VLA-EC (OEL STEL)	15 mg/m ³
	10 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país).
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen chloride
WEL TWA (OEL TWA)	2 mg/m ³ gas and aerosol mists
	1 ppm gas and aerosol mists
WEL STEL	8 mg/m ³ gas and aerosol mists
	5 ppm gas and aerosol mists

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves against chemicals (EN 374)

Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Molecular mass	: 36,46 g/mol
Odour	: strong.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: < 1
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1,04 – 1,12
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

Overheating. Water, humidity.

10.5. Incompatible materials

Metals. alkali metals.

10.6. Hazardous decomposition products

Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L (7647-01-0)

LC50 inhalation rat (mg/l)	4701 mg/l
----------------------------	-----------

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation	: Causes severe skin burns. pH: < 1
Serious eye damage/irritation	: Causes serious eye damage. pH: < 1
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: Not applicable
--	------------------

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L (7647-01-0)

LC50 - Fish [1]	20,5 mg/kg
EC50 72h - Algae [1]	0,76 mg/l

12.2. Persistence and degradability

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L (7647-01-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

HYDROCHLORIC ACID (7647-01-0)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L (7647-01-0)

PBT: not relevant – no registration required

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties	: Not applicable.
--	-------------------

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Must follow special treatment according to local regulation.
European List of Waste (LoW) code : 06 01 02* - hydrochloric acid

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 1789
UN-No. (IMDG) : UN 1789
UN-No. (IATA) : UN 1789
UN-No. (ADN) : UN 1789
UN-No. (RID) : UN 1789

14.2. UN proper shipping name

Proper Shipping Name (ADR) : HYDROCHLORIC ACID
Proper Shipping Name (IMDG) : HYDROCHLORIC ACID
Proper Shipping Name (IATA) : Hydrochloric acid
Proper Shipping Name (ADN) : HYDROCHLORIC ACID
Proper Shipping Name (RID) : HYDROCHLORIC ACID
Transport document description (ADR) (ADR) : UN 1789 HYDROCHLORIC ACID, 8, II, (E)
Transport document description (IMDG) : UN 1789 HYDROCHLORIC ACID, 8, II
Transport document description (IATA) : UN 1789 Hydrochloric acid, 8, II
Transport document description (ADN) : UN 1789 HYDROCHLORIC ACID, 8, II
Transport document description (RID) : UN 1789 HYDROCHLORIC ACID, 8, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8
:



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8
:




IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ADN

Transport hazard class(es) (ADN)

: 8

Danger labels (ADN)

: 8

:



RID

Transport hazard class(es) (RID)

: 8

Danger labels (RID)

: 8

:



14.4. Packing group

Packing group (ADR)

: II

Packing group (IMDG)

: II

Packing group (IATA)

: II

Packing group (ADN)

: II

Packing group (RID)

: II

14.5. Environmental hazards

Dangerous for the environment

: No

Marine pollutant

: No

EmS-No. (Fire)

: F-A

EmS-No. (Spillage)

: S-B

Other information

: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)

: C1

Special provisions (ADR)

: 520

Limited quantities (ADR)

: 1I

Excepted quantities (ADR)

: E2

Packing instructions (ADR)

: P001, IBC02

Mixed packing provisions (ADR)

: MP15

Portable tank and bulk container instructions (ADR)

: T8

Portable tank and bulk container special provisions (ADR)

: TP2

Tank code (ADR)

: L4BN

Vehicle for tank carriage

: AT

Transport category (ADR)


: 2

Hazard identification number (Kemler No.)

: 80

Orange plates

:



Tunnel restriction code (ADR)

: E

EAC code

: 2R

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B20
Tank instructions (IMDG)	: T8
Tank special provisions (IMDG)	: TP2
Stowage category (IMDG)	: C
Segregation (IMDG)	: SGG1A, SG36, SG49
Properties and observations (IMDG)	: Colourless liquid. An aqueous solution of the gas hydrogen chloride. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C1
Special provisions (ADN)	: 520
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C1
Special provisions (RID)	: 520
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T8
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3.	Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L
3(b)	Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

National regulations

France

Occupational diseases	
Code	Description
RG 66	Occupational rhinitis and asthma

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

Hydrochloric acid 1 mol/L (1N), concentrated volumetric solution for 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Press. Gas	Gases under pressure
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.