

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Mixture
Name	: Potassium Hydroxide, volumetric solution
Trade name	: Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)
UFI	: PA70-W0YE-X00X-1QPD
EC Index-No.	: 019-002-00-8
EC-No.	: 215-181-3
CAS-No.	: 1310-58-3
Product code	: POHY-01V
Formula	: KOH

1.2. Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses**

Main use category : Laboratory use

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.
Migjorn, 1
P.O. Box Barcelona (SPAIN)
08338 Premia de Dalt, SPAIN
ES
T +34 937 07 79 70, F +34 937 909 532
info@labbox.com, www.labbox.com

1.4. Emergency telephone number

Emergency number : +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Full text of H and EUH statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H290 - May be corrosive to metals.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P234 - Keep only in original packaging.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

PBT: not relevant – no registration required

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxyde	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	0,5 < 2	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Potassium hydroxyde	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	(0,5 \leq C < 2) Eye Irrit. 2; H319 (0,5 \leq C < 2) Skin Irrit. 2; H315 (2 \leq C < 5) Skin Corr. 1B; H314 (5 \leq C < 100) Skin Corr. 1A; H314

Full text of H and EUH statements: see section 16

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Call a physician immediately.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Give nothing or a little water to drink. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. ABC-powder. Foam. Water spray.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non combustible.
-------------	--------------------

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Combustible.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Do not inhale vapour.
------------------	-------------------------

For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	--

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection.
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Collect spillage.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage area : Store away from heat. Store in a well-ventilated place.

Special rules on packaging : Store in a closed container. Keep only in original container.

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

7.3. Specific end use(s)

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N) (1310-58-3)

France - Occupational Exposure Limits

Local name	Hydroxyde de potassium
VLE (OEL Ceiling/STEL)	2 mg/m ³
Remark	Valeurs recommandées/admises

Portugal - Occupational Exposure Limits

Local name	Hidróxido de potássio
OEL Ceiling	2 mg/m ³

Spain - Occupational Exposure Limits

Local name	Hidróxido de potasio
VLA-EC (OEL STEL)	2 mg/m ³

United Kingdom - Occupational Exposure Limits

Local name	Potassium hydroxide
WEL STEL	2 mg/m ³

Potassium hydroxide (1310-58-3)

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	0,5 mg/m ³
----------	-----------------------

France - Occupational Exposure Limits

Local name	Hydroxyde de potassium
VLE (OEL Ceiling/STEL)	2 mg/m ³
Remark	Valeurs recommandées/admises

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Potassium hydroxyde (1310-58-3)	
Portugal - Occupational Exposure Limits	
Local name	Hidróxido de potássio
OEL Ceiling	2 mg/m ³
Spain - Occupational Exposure Limits	
Local name	Hidróxido de potasio
VLA-EC (OEL STEL)	2 mg/m ³
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL	2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Do not inhale vapour.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection	
Type	Standard
Protective clothing	

Hand protection:

Protective gloves against chemicals (EN 374)

Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use. Wash hands with water as a precaution. The present safety data sheet is consistent with the specific conditions relied on to justify the registration of the substance as isolated intermediate.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour	: Colourless.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1 (20°C)
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

High temperature. Do not allow contact with water.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Toxic vapours are released.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N) (1310-58-3)

LD50 oral rat	333 mg/kg
---------------	-----------

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Potassium hydroxyde (1310-58-3)

LD50 oral rat	333 mg/kg
---------------	-----------

Skin corrosion/irritation : Causes skin irritation.

Potassium hydroxyde (1310-58-3)

pH	≈ 13,5 Temp.: 25 °C Concentration: 5,611 g/L
----	--

Serious eye damage/irritation : Causes serious eye irritation.

Potassium hydroxyde (1310-58-3)

pH	≈ 13,5 Temp.: 25 °C Concentration: 5,611 g/L
----	--

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Potassium hydroxyde (1310-58-3)

LC50 - Fish [1]	80 mg/dm3 Gambusia affinis 96 h
-----------------	---------------------------------

12.2. Persistence and degradability

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N) (1310-58-3)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Potassium hydroxyde (1310-58-3)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

Potassium hydroxyde (1310-58-3)

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N) (1310-58-3)

PBT: not relevant – no registration required

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Must follow special treatment according to local regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 1814
UN-No. (IMDG) : UN 1814
UN-No. (IATA) : UN 1814
UN-No. (ADN) : UN 1814
UN-No. (RID) : UN 1814


14.2. UN proper shipping name

Proper Shipping Name (ADR) : POTASSIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG) : POTASSIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA) : Potassium hydroxide solution
Proper Shipping Name (ADN) : POTASSIUM HYDROXIDE SOLUTION
Proper Shipping Name (RID) : POTASSIUM HYDROXIDE SOLUTION
Transport document description (ADR) (ADR) : UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III, (E)
Transport document description (IMDG) : UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III
Transport document description (IATA) : UN 1814 Potassium hydroxide solution, 8, III
Transport document description (ADN) : UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III
Transport document description (RID) : UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8




IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ADN

Transport hazard class(es) (ADN)

: 8

Danger labels (ADN)

: 8

:



RID

Transport hazard class(es) (RID)

: 8

Danger labels (RID)

: 8

:



14.4. Packing group

Packing group (ADR)

: III

Packing group (IMDG)

: III

Packing group (IATA)

: III

Packing group (ADN)

: III

Packing group (RID)

: III

14.5. Environmental hazards

Dangerous for the environment

: No

Marine pollutant

: No

EmS-No. (Fire)

: F-A

EmS-No. (Spillage)

: S-B

Other information

: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)

: C5

Limited quantities (ADR)

: 5I

Excepted quantities (ADR)

: E1

Packing instructions (ADR)

: P001, IBC03, LP01, R001

Mixed packing provisions (ADR)

: MP19

Portable tank and bulk container instructions (ADR)

: T4

Portable tank and bulk container special provisions (ADR)

: TP1

Tank code (ADR)

: L4BN

Vehicle for tank carriage

: AT

Transport category (ADR)

: 3

Special provisions for carriage - Packages (ADR)


: V12

Hazard identification number (Kemler No.)

: 80

Orange plates

:



Tunnel restriction code (ADR)

: E

EAC code

: 2R

Transport by sea

Special provisions (IMDG)

: 223

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
Stowage category (IMDG)	: A
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	: Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C5
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C5
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.

Potassium Hydroxide, volumetric solution 0.1 M (0.1 N)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.