

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Trade name	: Tetrachloroethylene 99.9% GLR
Chemical name	: tetrachloroethylene
IUPAC name	: tetrachloroethylene
EC Index-No.	: 602-028-00-4
EC-No.	: 204-825-9
CAS-No.	: 127-18-4
REACH registration No	: 01-2119475329-28
Product code	: TTCE-00P
Formula	: C ₂ Cl ₄

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category	: Laboratory use
-------------------	------------------

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.
Migjorn, 1
P.O. Box Barcelona (SPAIN)
08338 Premia de Dalt, SPAIN
ES
T +34 937 07 79 70, F +34 937 909 532
info@labbox.com, www.labbox.com

1.4. Emergency telephone number

Emergency number	: +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.
------------------	--

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Specific target organ toxicity — Single exposure, Category 3,	H336
Narcosis	
Hazardous to the aquatic environment — Chronic Hazard,	H411
Category 2	
Full text of H and EUH statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Hazard statements (CLP)

Precautionary statements (CLP)

- : Warning
- : H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.
H351 - Suspected of causing cancer.
H411 - Toxic to aquatic life with long lasting effects.
- : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing should not be allowed out of the workplace.

2.3. Other hazards

PBT: not relevant – no registration required

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%
Tetrachloroethylene	CAS-No.: 127-18-4 EC-No.: 204-825-9 EC Index-No.: 602-028-00-4 REACH-no: 01-2119475329-28	75 – 100

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Consult an eye specialist.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : nausea, vomiting.
- Symptoms/effects after skin contact : Irritation.
- Symptoms/effects after eye contact : May cause eye irritation.
- Symptoms/effects after ingestion : nausea, vomiting.

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Chronic symptoms : May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : ABC-powder.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Chlorine. Carbon monoxide. Carbon dioxide. fume.

5.3. Advice for firefighters

Precautionary measures fire : Stop leak if safe to do so.
Firefighting instructions : Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.
Storage area : Store away from heat. Store in a well-ventilated place.
Special rules on packaging : Store in a closed container. Keep only in original container.

7.3. Specific end use(s)

Laboratory chemicals.

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Tetrachloroethylene 99.9% GLR (127-18-4)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Tetrachloroethylene
IOEL TWA	138 mg/m ³
	20 ppm
IOEL STEL	275 mg/m ³
	40 ppm
Remark	skin
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
France - Occupational Exposure Limits	
Local name	Perchloroéthylène (Tétrachoroéthylène)
VME (OEL TWA)	138 mg/m ³
	20 ppm
VLE (OEL Ceiling/STEL)	275 mg/m ³
	40 ppm
Remark	Valeurs réglementaires contraignantes; substance classée cancérogène de catégorie 2
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Tetrachlorethen (Per)
AGW (OEL TWA)	138 mg/m ³
	20 ppm
Limitation of exposure peaks	2(II)
Remark	H,Y,AGS,EU
Regulatory reference	TRGS900
Greece - Occupational Exposure Limits	
Local name	Υπερχλωροαιθυλένιο (Τετραχλωρο-αιθυλένιο)
OEL TWA	335 mg/m ³
	50 ppm
OEL STEL	1000 mg/m ³
	150 ppm
Regulatory reference	Π.Δ. 90/1999
Portugal - Occupational Exposure Limits	
Local name	Tetracloroetileno (Percloroetileno)
OEL TWA	25 ppm
OEL STEL	100 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tetrachloroethylene 99.9% GLR (127-18-4)	
Romania - Occupational Exposure Limits	
Local name	Tetraclorotilenă
OEL TWA	50 mg/m ³
	7 ppm
OEL STEL	100 mg/m ³
	14 ppm
Regulatory reference	Hotărârea nr. 584/2018
Spain - Occupational Exposure Limits	
Local name	Percloroetileno (Tetracloroetileno)
VLA-ED (OEL TWA)	172 mg/m ³
	25 ppm
VLA-EC (OEL STEL)	689 mg/m ³
	100 ppm
Remark	VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento), ae (Alterador endocrino. Hay una serie de sustancias utilizadas en la industria, la agricultura y los bienes de consumo de las que se sospecha que interfieren con los sistemas endocrinos de los seres humanos y de los animales y que son causantes de perjuicios para la salud como el cáncer, alteraciones del comportamiento y anomalías en la reproducción. Tales sustancias se denominan "alteradores endocrinos". [Aplicación de la estrategia comunitaria en materia de alteradores endocrinos-sustancias de las que se sospecha interfieren en los sistemas hormonales de seres humanos y animales-COM (1999) 706. Comisión de las Comunidades Europeas, COM (2001) 262 final, Bruselas 14.06.2001]. En el caso del ser humano, algunas vías posibles de exposición a alteradores endocrinos son la exposición directa en el lugar de trabajo o a través de productos de consumo como alimentos, ciertos plásticos, pinturas, detergentes y cosméticos, o indirecta a través del medio ambiente (aire, agua y suelo). [Estrategia comunitaria en materia de alteradores endocrinos (sustancias de las que se sospecha interfieren en los sistemas hormonales de seres humanos y animales). Comisión de las Comunidades Europeas, COM (1999) 706 final, Bruselas 17.12.1999]. Los valores límite asignados a estos agentes no se han establecido para prevenir los posibles efectos de alteración endocrina, lo cual justifica una vigilancia adecuada de la salud).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT
Spain - Biological limit values	
BLV	3 ppm Parámetro: Percloroetileno - Medio: Aire alveolar (fracción final del aire exhalado) - Momento de muestreo: Principio de la última jornada de la semana laboral 0,4 mg/l Parámetro: Percloroetileno - Medio: Sangre - Momento de muestreo: Principio de la última jornada de la semana laboral
United Kingdom - Occupational Exposure Limits	
Local name	Tetrachloroethylene
WEL TWA (OEL TWA)	345 mg/m ³
	50 ppm
WEL STEL	689 mg/m ³
	100 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DNEL and PNEC

Tetrachloroethylene 99.9% GLR (127-18-4)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	275 mg/m³
Long-term - systemic effects, dermal	39,4 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	138 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	138 mg/m³
Long-term - systemic effects,oral	1,3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	34,5 mg/m³
Long-term - systemic effects, dermal	23 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,051 mg/l
PNEC aqua (marine water)	0,0051 mg/l
PNEC aqua (intermittent, freshwater)	0,0364 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,903 mg/kg dwt
PNEC sediment (marine water)	0,0903 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,01 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	11,2 mg/l

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Do not inhale vapour.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Face shield

Eye protection			
Type	Field of application	Characteristics	Standard
Category II			EN 166, EN 167, EN 168

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection	
Type	Standard
Protective clothing	EN 13034, EN 168 , EN ISO 13982-1, EN ISO 6529, EN ISO 6530, EN 464

Hand protection:

protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Category III			0.062 mm	6 (> 480 minutes)	EN 420

Other skin protection

Materials for protective clothing:

Wear safety footwear

Other skin protection Materials for protective clothing		
Condition	Material	Standard
		EN ISO 20345, EN 13832-1

Respiratory protection

Respiratory protection:

Wear appropriate mask

Respiratory protection			
Device	Filter type	Condition	Standard
filtering face piece	with filter for vapors/gases		EN 405

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Transparent.
Molecular mass	: 165,83 g/mol
Odour	: Not available
Odour threshold	: Not available
Melting point	: -22 °C Atm. press.: 101,3 kPa Decomposition: 'no'
Freezing point	: Not available
Boiling point	: 121,4 °C Atm. press.: 101,325 kPa Decomposition: 'no'
Flammability	: Not available
Explosive properties	: Product is not explosive.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature	: 650 °C
Decomposition temperature	: > 140 °C
pH	: Not available
Viscosity, kinematic	: 0,53 mm²/s
Viscosity, dynamic	: 0,9 cP
Solubility	: Water: 150 mg/l
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: 2,53
Vapour pressure	: 2,5 kPa Temp.: 25 °C
Vapour pressure at 50 °C	: 63,8182 hPa
Density	: 1,61 g/cm³ Type: 'density' Temp.: 25 °C
Relative density	: 1,61 Type: 'relative density' Temp.: 25 °C
Relative vapour density at 20 °C	: 5,7
Particle characteristics	: Not applicable

9.2. Other information

Other safety characteristics

VOC content	: 100 %
-------------	---------

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong bases. Strong acids.

10.6. Hazardous decomposition products

fume. Chlorine.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Tetrachloroethylene 99.9% GLR (127-18-4)	
LD50 oral rat	3005 mg/kg
LC50 inhalation rat (mg/l)	3786 ppb

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : May cause drowsiness or dizziness.
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Tetrachloroethylene 99.9% GLR (127-18-4)

Viscosity, kinematic	0,53 mm²/s
----------------------	------------

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Tetrachloroethylene 99.9% GLR (127-18-4)

LC50 - Fish [1]	5 mg/l Test organisms (species): Limanda limanda
LC50 - Fish [2]	5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Daphnia [1]	8,5 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	3,64 mg/l Test organisms (species): Chlamydomonas reinhardtii

12.2. Persistence and degradability

Tetrachloroethylene 99.9% GLR (127-18-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

Tetrachloroethylene 99.9% GLR (127-18-4)

Partition coefficient n-octanol/water (Log Pow)	2,53
---	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Tetrachloroethylene 99.9% GLR (127-18-4)

PBT: not relevant – no registration required

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Must follow special treatment according to local regulation.
European List of Waste (LoW) code	: 14 06 02* - other halogenated solvents and solvent mixtures
HP Code	: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 1897
UN-No. (IMDG)	: UN 1897
UN-No. (IATA)	: UN 1897
UN-No. (ADN)	: UN 1897
UN-No. (RID)	: UN 1897

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: TETRACHLOROETHYLENE
Proper Shipping Name (IMDG)	: TETRACHLOROETHYLENE
Proper Shipping Name (IATA)	: Tetrachloroethylene
Proper Shipping Name (ADN)	: TETRACHLOROETHYLENE
Proper Shipping Name (RID)	: TETRACHLOROETHYLENE
Transport document description (ADR) (ADR)	: UN 1897 TETRACHLOROETHYLENE, 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1897 TETRACHLOROETHYLENE, 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1897 Tetrachloroethylene, 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1897 TETRACHLOROETHYLENE, 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1897 TETRACHLOROETHYLENE, 6.1, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IATA

Transport hazard class(es) (IATA) : 6.1
Danger labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1
Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-A
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : T1
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1
Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9
Hazard identification number (Kemler No.) : 60


Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates

:



Tunnel restriction code (ADR)

: E

EAC code

: 2Z

Transport by sea

Limited quantities (IMDG)

: 5 L

Excepted quantities (IMDG)

: E1

Packing instructions (IMDG)

: P001, LP01

IBC packing instructions (IMDG)

: IBC03

Tank instructions (IMDG)

: T4

Tank special provisions (IMDG)

: TP1

Stowage category (IMDG)

: A

Stowage and handling (IMDG)

: SW2

Properties and observations (IMDG)

: Colourless liquid with an ethereal odour. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.

Air transport

PCA Excepted quantities (IATA)

: E1

PCA Limited quantities (IATA)

: Y642

PCA limited quantity max net quantity (IATA)

: 2L

PCA packing instructions (IATA)

: 655

PCA max net quantity (IATA)

: 60L

CAO packing instructions (IATA)

: 663

CAO max net quantity (IATA)

: 220L

ERG code (IATA)

: 6L

Inland waterway transport

Classification code (ADN)

: T1

Special provisions (ADN)

: 802

Limited quantities (ADN)

: 5 L

Excepted quantities (ADN)

: E1

Carriage permitted (ADN)

: T

Equipment required (ADN)

: PP, EP, TOX, A

Ventilation (ADN)

: VE02

Number of blue cones/lights (ADN)

: 0

Rail transport

Classification code (RID)

: T1

Limited quantities (RID)

: 5L

Excepted quantities (RID)

: E1

Packing instructions (RID)

: P001, IBC03, LP01, R001

Mixed packing provisions (RID)

: MP19

Portable tank and bulk container instructions (RID)

: T4

Portable tank and bulk container special provisions (RID)

: TP1

Tank codes for RID tanks (RID)

: L4BH

Special provisions for RID tanks (RID)

: TU15

Transport category (RID)

: 2

Special provisions for carriage – Packages (RID)

: W12

Special provisions for carriage - Loading, unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID)

: CE8

Hazard identification number (RID)

: 60

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3.	Tetrachloroethylene 99.9% GLR
3(b)	Tetrachloroethylene 99.9% GLR
3(c)	Tetrachloroethylene 99.9% GLR

REACH Annex XIV (Authorisation List)

Tetrachloroethylene 99.9% GLR is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

Tetrachloroethylene 99.9% GLR is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Tetrachloroethylene 99.9% GLR is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Tetrachloroethylene 99.9% GLR is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Dual-Use Regulation (428/2009)

Not listed on the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 100 %

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

National regulations

France

Occupational diseases	
Code	Description
RG 12	Occupational diseases caused by the halogenated aliphatic hydrocarbons listed below: dichloromethane; trichloromethane; tribromomethane; triiodomethane; tetrabromomethane; chloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,2-dibromoethane; 1,1,1-trichloroethane; 2-bromopropane; 1,2-dichloropropane; trichlorethylene; tetrachlorethylene; dichloroacetylene; trichlorofluoromethane; 1,1,2,2-tetrachloro-1,2-difluoroethane; 1,1,1-trichloro-2,2,2-trifluoroethane; 1,1-dichloro-2,2,2-trifluoroethane; 1,2-dichloro-1,1-difluoroethane; 1,1-dichloro-1-fluoroethane

Tetrachloroethylene 99.9% GLR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide
-------	---

Germany

VOC ordinance (ChemVOCFarbV) : VOC content : 100 %

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : Tetrachloroethylene is listed

giftige stoffen – Ontwikkeling

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.