

Abkem Papanicolaou EA50 solution

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date of issue: 04/12/2019 Revision date: 05/02/2025 Supersedes version of: 15/09/2023 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Name	: Mixture : Papanicolaou EA50 solution
Trade name	: Papanicolaou EA50 solution
UFI	: KX80-J02Y-S00C-M6RM
EC Index-No.	: 603-002-00-5
EC-No.	: 200-578-6
CAS-No.	: 64-17-5
Product code	: PPAN-S50
Formula	: C2H6O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category

: Laboratory use

1.3. Details of the supplier of the safety data sheet

labbox labware s.l. Migjorn, 1 P.O. Box Barcelona (SPAIN) 08338 Premia de Dalt, SPAIN FS T +34 937 07 79 70, F +34 937 909 532 info@labbox.com, www.labbox.com

1.4. Emergency telephone number

Emergency number

: +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 Full text of H and EUH statements: see section 16 H225

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: ALCOHOL
Hazard statements (CLP) Precautionary statements (CLP)	 H225 - Highly flammable liquid and vapour. P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P233 - Keep container tightly closed.

2.3. Other hazards

PBT: not relevant - no registration required

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ALCOHOL	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	95	Flam. Liq. 2, H225
CI 42053	CAS-No.: 2353-45-9 EC-No.: 219-091-5	1	Not classified
Eosin yellowish, C.I. 45380 for microscopy	CAS-No.: 17372-87-1 EC-No.: 241-409-6	1	Eye Irrit. 2, H319

Full text of H and EUH statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: If swallowed, seek medical advice immediately and show this container or label. Rinse mouth out with water.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation. Cough.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: redness, itching, tears. Causes eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide. Water spray. Dry powder.Strong water jet.			
5.2. Special hazards arising from the substa	ance or mixture			
No additional information available				
5.3. Advice for firefighters				
Firefighting instructions Protection during firefighting	Exercise caution when fighting any chemical fire.Do not enter fire area without proper protective equipment, including respiratory protection.			
SECTION 6: Accidental release measure	es			
6.1. Personal precautions, protective equip	ment and emergency procedures			
For emergency responders				
Protective equipment	: Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters.				
6.3. Methods and material for containment a	and cleaning up			
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.			
6.4. Reference to other sections				
See Heading 8. For further information refer to sectio	n 13.			
SECTION 7: Handling and storage	SECTION 7: Handling and storage			

7.1. Precautions for safe handling				
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.			
7.2. Conditions for safe storage, including any incompatibilities				
Storage conditions	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.			
Special rules on packaging	: Keep only in original container. Store in a closed container.			
7.3. Specific end use(s)				

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
National occupational exposure and biological limit values		
Papanicolaou EA50 solution (64-17-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 1900 mg/m ³		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Papanicolaou EA50 solution (64-17-5)					
	1000 ppm				
ALCOHOL (64-17-5)	ALCOHOL (64-17-5)				
France - Occupational Exposure Limits					
Local name	Alcool éthylique				
VME (OEL TWA)	1900 mg/m ³				
	1000 ppm				
VLE (OEL Ceiling/STEL)	9500 mg/m³				
	5000 ppm				
Remark	Valeurs recommandées/admises				
Germany - Occupational Exposure Limits (TRGS 90)0)				
Local name Ethanol					
AGW (OEL TWA)	960 mg/m ³				
	500 ppm				
Remark	DFG,Y				
Portugal - Occupational Exposure Limits					
Local name	Etanol (Álcool etílico)				
OEL STEL	1000 ppm				
Spain - Occupational Exposure Limits					
Local name	Etanol (Alcohol etílico)				
VLA-EC (OEL STEL)	1910 mg/m ³				
	1000 ppm				
Remark	s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).				
United Kingdom - Occupational Exposure Limits					
Local name	Ethanol				
WEL TWA (OEL TWA)	1920 mg/m ³				
	1000 ppm				

DNEL and PNEC

Papanicolaou EA50 solution (64-17-5)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation 1900 mg/m ³		
Long-term - systemic effects, dermal 343 mg/kg bodyweight/day Long-term - systemic effects, inhalation 950 mg/m³		
Acute - local effects, inhalation 950 mg/m ³		
Long-term - systemic effects,oral 87 mg/kg bodyweight/day		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Papanicolaou EA50 solution (64-17-5)		
Long-term - systemic effects, inhalation	114 mg/m ³	
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0,96 mg/l	
PNEC aqua (marine water)	0,79 mg/l	
PNEC aqua (intermittent, freshwater)	2,75 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3,6 mg/kg dwt	
PNEC sediment (marine water)	2,9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0,63 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	0,72 g/kg food	
PNEC (STP)		
PNEC sewage treatment plant	580 mg/l	
	1	

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.





Eye and face protection

Eye protection: Safety glasses

Eve protection

-,-,-,-				
Туре		Field of application	Characteristics Standard	Standard
				EN 166

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)	6 (> 480 minutes)	0.50 mm		EN ISO 374

Other skin protection Materials for protective clothing: Wear safety footwear

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

Wear appropriate mask

Respiratory protection			
Device	Filter type	Condition	Standard
			EN 136, EN 140

Environmental exposure controls

Other information:

Wash hands with water as a precaution. Do not eat, drink or smoke during use.

9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Colour	: Green.
Ddour	: alcohol.
Ddour threshold	: Not available
Melting point	: -114,5 °C
Freezing point	: Not available
Boiling point	: 78,29001 °C Atm. press.: 1013,25 hPa Decomposition: 'no'
Flammability	: Not available
_ower explosion limit	: Not available
Jpper explosion limit	: Not available
Flash point	: 13 °C Atm. press.: 1 atm
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
ЪН	: Not available
/iscosity, kinematic	: Not available
/iscosity, dynamic	: 1,17 mPa·s Temp.: '20°C' Parameter: 'dynamic viscosity (in mPa s)'
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
/apour pressure	: Not available
/apour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 0,711 – 0,87778 20º C
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable
9.2. Other information	
Other safety characteristics	
/OC content	: 4%

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Strong acids. alkaline medium. Oxidizing materials.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent. Acids. alkali metals.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defin	ed in Regulation (EC) No 1272/2008
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Papanicolaou EA50 solution (64-17-5)	
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Papanicolaou EA50 solution (64-17-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	 > 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Aspiration hazard	Not classified
11.2. Information on other hazards	
Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: Not applicable

SECTION 12: Ecological information

12.1. Toxicity

 Hazardous to the aquatic environment, short-term (acute)

 Hazardous to the aquatic environment, long-term (chronic)

 Papanicolaou EA50 solution (64-17-5)

 LC50 - Fish [1]
 14,2 g/l Test organisms (species): Pimephales promelas

 NOEC (chronic)
 9,6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eosin yellowish, C.I. 45380 for microscopy (1	
LC50 - Fish [1]	2344 mg/kg
12.2. Persistence and degradability	
Papanicolaou EA50 solution (64-17-5)	
Persistence and degradability	Rapidly degradable
ALCOHOL (64-17-5)	
Persistence and degradability	Rapidly degradable
CI 42053 (2353-45-9)	
Persistence and degradability	Rapidly degradable
Eosin yellowish, C.I. 45380 for microscopy (1	7372-87-1)
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
Papanicolaou EA50 solution (64-17-5)	
PBT: not relevant - no registration required	
12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by endocrine disrupting properties	Not applicable.
12.7. Other adverse effects	
Other adverse effects :	Do not discharge into drains or rivers.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste):Waste treatment methods:	Disposal must be done according to official regulations. Must follow special treatment according to local regulation.
SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA / ADN / RID	

14.1. UN number or ID number	
UN-No. (ADR)	: UN 1170
UN-No. (IMDG)	: UN 1170
UN-No. (IATA)	: UN 1170
UN-No. (ADN)	: UN 1170
UN-No. (RID)	: UN 1170
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN)	 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Ethanol solution ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (RID)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document description (ADR) (ADR)	: UN 1170 ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)
Transport document description (IMDG)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II
Transport document description (IATA)	: UN 1170 Ethanol solution, 3, II
Transport document description (ADN)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II
Transport document description (RID)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

14.3. Transport hazard class(es)

ADR

IMDG

ΙΑΤΑ

ADN

RID

Transport hazard class(es) (ADR) Danger labels (ADR)



14.4. Packing group

Packing group (ADR)
Packing group (IMDG)
Packing group (IATA)
Packing group (ADN)
Packing group (RID)

: 11 : 11 : 11 : 11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
EmS-No. (Fire)	: F-E	
EmS-No. (Spillage)	: S-D	
Other information	: No supplementary information available	
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: F1	
Special provisions (ADR)	: 144, 601	
Limited quantities (ADR)	: 11	
Excepted quantities (ADR) Packing instructions (ADR)	: E2 : P001, IBC02, R001	
Mixed packing provisions (ADR)	: MP19	
Portable tank and bulk container instructions (ADR)	: T4	
Portable tank and bulk container special provisions	: TP1	
(ADR)		
Tank code (ADR)	: LGBF	
Vehicle for tank carriage	: FL	
Transport category (ADR)	: 2	
Special provisions for carriage - Operation (ADR)	: S2, S20	
Hazard identification number (Kemler No.)	: 33	
Orange plates	33	
	1170	
Tunnel restriction code (ADR)	: D/E	
EAC code	: •2YE	
Transport by sea		
Special provisions (IMDG)	: 144	
Limited quantities (IMDG)	: 1L	
Excepted quantities (IMDG)	: E2	
Packing instructions (IMDG)	: P001	
IBC packing instructions (IMDG)	: IBC02	
Tank instructions (IMDG)	: T4	
Tank special provisions (IMDG)	: TP1	
Stowage category (IMDG)		
Properties and observations (IMDG)	: Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.	
	1370. INISCIDIE WILLI WALET.	
Air transport		
PCA Excepted quantities (IATA)	: E2	
PCA Limited quantities (IATA)	: Y341	
PCA limited quantity max net quantity (IATA)	: 1L	
PCA packing instructions (IATA)	: 353	
PCA max net quantity (IATA)	: 5L : 364	
CAO packing instructions (IATA) CAO max net quantity (IATA)	: 60L	
Special provisions (IATA)	: A3, A58, A180	
ERG code (IATA)	: 3L	
Inland waterway transport	. 51	
Classification code (ADN)	: F1 : 144 601	
Special provisions (ADN) Limited quantities (ADN)	: 144, 601 : 1 L	
Excepted quantities (ADN)	: E2	
Carriage permitted (ADN)	· L2 • T	

Ventilation (ADN)

Carriage permitted (ADN)

Equipment required (ADN)

: T

: PP, EX, A : VE01

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Number of blue cones/lights (ADN)	:	1
Rail transport		
Classification code (RID)	:	F1
Special provisions (RID)	:	144, 601
Limited quantities (RID)	:	1L
Excepted quantities (RID)	:	E2
Packing instructions (RID)	:	P001, IBC02, R001
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	Τ4
Portable tank and bulk container special provisions		TP1
(RID)		
Tank codes for RID tanks (RID)	:	LGBF
Transport category (RID)	:	2
Colis express (express parcels) (RID)	:	CE7
Hazard identification number (RID)		33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REA	EU restriction list (REACH Annex XVII)	
Reference code	erence code Applicable on	
3(a)	Papanicolaou EA50 solution ; ALCOHOL	
3(b)	Papanicolaou EA50 solution	
40.	Papanicolaou EA50 solution ; ALCOHOL	

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content

: 4%

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	
Germany Water bazard class (WGK)	• WGK 3 Highly bazardous to water (Classification according to AwSV/ Appex 1)	

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV) VOC content	 WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Is not subject of the Hazardous Incident Ordinance (12. BImSchV) 4 %
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: ALCOHOL is listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: ALCOHOL is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: ALCOHOL is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: ALCOHOL is listed
Denmark	
Class for fire hazard	: Class I-1
Store unit	: 1 liter
Classification remarks	: F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flammable liquids must be followed</flam.>

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information	
Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.