

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date of issue: 22/01/2020 Revision date: 04/12/2024 Supersedes version of: 27/01/2023 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: Antiseptic with 0.5% chlorhexidine
Trade name	: Antiseptic with 0.5% chlorhexidine
UFI	: VY00-F0W2-900A-3FJM
EC Index-No.	: 603-117-00-0
EC-No.	: 200-661-7
CAS-No.	: 67-63-0
Product code	: ACHL-
Formula	: C3H8O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category

: Laboratory use

1.3. Details of the supplier of the safety data sheet

labbox labware s.l. Migjorn, 1 P.O. Box Barcelona (SPAIN) 08338 Premia de Dalt, SPAIN FS T +34 937 07 79 70, F +34 937 909 532 info@labbox.com, www.labbox.com

1.4. Emergency telephone number

Emergency number

: +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Serious eye damage/eye irritation, Category 2	H319
Full text of H and EUH statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) Hazard statements (CLP)	 Danger H225 - Highly flammable liquid and vapour. H319 - Causes serious eve irritation.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
PBT: not relevant – no registration required	Propanol (67-63-0)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Propanol (67-63-0)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	70	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
CHLORHEXIDINE, CHLORHEXIDINE DIACETATE, CHLORHEXIDINE DIGLUCONATE, CHLORHEXIDINE DIHYDROCHLORIDE	CAS-No.: 18472-51-0 EC-No.: 242-354-0	0,5	Not classified

Full text of H and EUH statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general First-aid measures after inhalation : Get medical advice/attention if you feel unwell.

: If you feel unwell, seek medical advice.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact First-aid measures after eye contact	 If skin irritation occurs: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting because of corrosive effects. If swallowed, seek medical advice immediately and show this container or label.
4.2. Most important symptoms and effects, both acute and delayed	

Symptoms/effects after eye contact	: May cause severe irritation.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: earth, sand, dry chemical powder or foam. Water spray.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Reactivity in case of fire Hazardous decomposition products in case of fire	 Can form explosive mixtures with air. Flammable liquid and vapour. (strong) oxidizers. Carbon oxides (CO, CO2). 	
5.3. Advice for firefighters		
Firefighting instructions	: Cool laterally with water containers exposed to flames, even after the fire is extinguished. Exercise caution when fighting any chemical fire.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Environmental precautions	
Prevent entry to sewers and public wate	ers.
6.3. Methods and material for co	ntainment and cleaning up
For containment Methods for cleaning up	Absorb spilled material with sand or earth. Collect spillage.Clean contaminated surfaces with an excess of water.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling	I construction of the second	
Precautions for safe handling Hygiene measures	 Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 	
7.2. Conditions for safe storage, i	ncluding any incompatibilities	
Storage conditions	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No	

smoking. Store in a well-ventilated place. Keep container tightly closed.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Propanol (67-63-0)		
France - Occupational Exposure Limits		
Local name	Alcool isopropylique	
VLE (OEL Ceiling/STEL)	980 mg/m³	
	400 ppm	
Remark	Valeurs recommandées/admises	
Germany - Occupational Exposure Limits (TRGS 9	000)	
Local name	Propan-2-ol	
AGW (OEL TWA)	500 mg/m ³	
	200 ppm	
Remark	DFG,Y	
Portugal - Occupational Exposure Limits		
Local name	2-Propanol (isopropanol ou álcool isopropílico)	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Spain - Occupational Exposure Limits		
Local name	Isopropanol (Alcohol isopropílico)	
VLA-ED (OEL TWA)	500 mg/m ³	
	200 ppm	
VLA-EC (OEL STEL)	1000 mg/m ³	
	400 ppm	
Remark	VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).	
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA)	999 mg/m³	
	400 ppm	
WEL STEL	1250 mg/m ³	
	500 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DNEL and PNEC

Antiseptic with 0.5% chlorhexidine (67-63-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	500 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	26 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	89 mg/m ³	
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	140,9 mg/l	
PNEC aqua (marine water)	140,9 mg/l	
PNEC aqua (intermittent, freshwater)	140,9 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	552 mg/kg dwt	
PNEC sediment (marine water)	552 mg/kg dwt	
PNEC (Soil)		
PNEC soil	28 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	160 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	2251 mg/l	

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Eye and face protection

Eye protection: Safety glasses

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use. Wash hands with water as a precaution.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	pink.	
Odour	: alcohol.	
Odour threshold	: Not available	
Melting point	: Not available	
Freezing point	: Not available	
Boiling point	: Not available	
Flammability	: Not available	
Lower explosion limit	: Not available	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Upper explosion limit	: Not available
Flash point	: 19 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 6,5 – 7,5
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 0,79 g/cm ³ Type: 'density' Temp.: 20 °C
Relative density	: 0,8 Type: 'relative density'
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) Acute toxicity (inhalation) Not classified : Antiseptic with 0.5% chlorhexidine (67-63-0) LD50 oral rat 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) **Propanol (67-63-0)** LD50 oral rat 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 oral 4710 mg/kg LD50 dermal rabbit > 5000 mg/kg LC50 inhalation rat (mg/l) > 50 mg/l/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation	: Not classified	
	pH: 6,5 – 7,5	
Water (7732-18-5)		
рН	5 - 6,5	
Serious eye damage/irritation	: Causes serious eye irritation.	
	pH: 6,5 – 7,5	
Water (7732-18-5)		
рН	5 - 6,5	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
Propanol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	Not classified	
Aspiration hazard	: Not classified	
Propanol (67-63-0)		
Viscosity, kinematic	2,658 mm²/s	
Water (7732-18-5)		
Viscosity, kinematic	0,952 mm²/s	
11.2. Information on other hazards		
Endocrine disrupting properties		
Adverse health effects caused by endocrine disrupting properties	: Not applicable	

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	Not classified	
Hazardous to the aquatic environment, long-term : (chronic)	Not classified	
Antiseptic with 0.5% chlorhexidine (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas	
Propanol (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas	
EC50 - Daphnia [1]	> 5102 mg/l 24 h	
EC50 72h - Algae [1]	2,2 mg/l	
12.2. Persistence and degradability		
Antiseptic with 0.5% chlorhexidine (67-63-0)		
Persistence and degradability	Product is biodegradable.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Propanol (67-63-0)		
Persistence and degradability	Rapidly degradable	
CHLORHEXIDINE, CHLORHEXIDINE DIACETATE, CHLORHEXIDINE DIGLUCONATE, CHLORHEXIDINE DIHYDROCHLORIDE (18472-51-0)		
Persistence and degradability	Rapidly degradable	
Water (7732-18-5)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
Propanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	> 0,05	
12.4. Mobility in soil		
Antiseptic with 0.5% chlorhexidine (67-63-0)		
Ecology - soil	Soluble in water.	
Propanol (67-63-0)		
Mobility in soil	-0,03	
12.5. Results of PBT and vPvB assessment		
Antiseptic with 0.5% chlorhexidine (67-63-0)		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
Component		
PBT: not relevant – no registration required	Propanol (67-63-0)	
12.6. Endocrine disrupting properties		
Adverse effects on the environment caused by : endocrine disrupting properties	Not applicable.	
12.7. Other adverse effects		
Other adverse effects :	Do not discharge into drains or rivers.	
Propanol (67-63-0)		
Other information	Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	Must follow special treatment according to local regulation.Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information
In accordance with ADR / IMDG / IATA / ADN / RID
44.4 LIN number of ID number

14.1. UN number or ID number

Safety Data Sheet

ording to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EC) 2020/878		
: UN 1987		
: ALCOHOLS, N.O.S.		
: UN 1987 ALCOHOLS, N.O.S. (Antiseptic with 0.5% chlorhexidine), 3, II, (D/E)		
: UN 1987 ALCOHOLS, N.O.S. (Antiseptic with 0.5% chlorhexidine), 3, II		
: UN 1987 Alcohols, n.o.s. (Antiseptic with 0.5% chlorhexidine), 3, II		
: UN 1987 ALCOHOLS, N.O.S. (Antiseptic with 0.5% chlorhexidine), 3, II		
: UN 1987 ALCOHOLS, N.O.S. (Antiseptic with 0.5% chlorhexidine), 3, II		

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3



Transport hazard class(es) (IMDG) Danger labels (IMDG)

ΙΑΤΑ

Transport hazard class(es) (IATA) Danger labels (IATA)



Transport hazard class(es) (ADN) Danger labels (ADN)

RID

Transport hazard class(es) (RID) Danger labels (RID)









Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.4. Packing group		
Packing group (ADR)	: 11	
Packing group (IMDG)	: 11	
Packing group (IATA) Packing group (ADN)	: II : II	
Packing group (RID)	: II	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
EmS-No. (Fire)	: F-E : S-D	
EmS-No. (Spillage) Other information	: No supplementary information available	
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: F1	
Special provisions (ADR)	: 274, 601, 640C	
Limited quantities (ADR)	: 11	
Excepted quantities (ADR) Packing instructions (ADR)	: E2 : P001	
Mixed packing provisions (ADR)	: MP19	
Portable tank and bulk container instructions (ADR)		
Portable tank and bulk container special provisions	: TP1, TP8, TP28	
(ADR)		
Tank code (ADR)	: L1.5BN	
Vehicle for tank carriage Transport category (ADR)	: FL : 2	
Special provisions for carriage - Operation (ADR)	: S2, S20	
Hazard identification number (Kemler No.)	: 33	
Orange plates	33 1987	
Tunnel restriction code (ADR) EAC code	: D/E : •3YE	
Transport by sea		
Special provisions (IMDG)	: 274	
Limited quantities (IMDG)	: 1L	
Excepted quantities (IMDG)	: E2	
Packing instructions (IMDG) IBC packing instructions (IMDG)	: P001 : IBC02	
Tank instructions (IMDG)	: T7	
Tank special provisions (IMDG)	: TP1, TP8, TP28	
Stowage category (IMDG)	: B	
Air transport		
PCA Excepted quantities (IATA)	: E2	
PCA Limited quantities (IATA)	: Y341	
PCA limited quantity max net quantity (IATA)	: 1L : 353	
PCA packing instructions (IATA) PCA max net quantity (IATA)	: 353 : 5L	
CAO packing instructions (IATA)	: 364	
CAO max net quantity (IATA)	: 60L	
Special provisions (IATA)	: A3, A180	
ERG code (IATA)	: 3L	
Inland waterway transport		
Classification code (ADN)	: F1	
Special provisions (ADN)	: 274, 601, 640D	
04/12/2024 (Revision date)	EN (English)	10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN)	: 1 L : E2 : T : PP, EX, A : VE01 : 1
Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions	
(RID) Tank codes for RID tanks (RID) Transport category (RID) Colis express (express parcels) (RID) Hazard identification number (RID)	: LGBF : 2 : CE7 : 33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Propanol
3(b)	Propanol
40.	Propanol

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

:

Germany

VOC ordinance (ChemVOCFarbV)

Employment restrictions Water hazard class (WGK) Hazardous Incident Ordinance (12. BlmSchV) Netherlands	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	 None of the components are listed
Denmark Class for fire hazard Store unit Classification remarks	 Class I-1 1 liter F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flammable liquids must be followed</flam.>

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.