

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date of issue: 20/03/2018 Revision date: 21/09/2023 Supersedes version of: 20/03/2018 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Name Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l) Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l) Trade name

Product code

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Reagent for water analysis

#### 1.3. Details of the supplier of the safety data sheet

labbox labware s.l. Migjorn, 1

P.O. Box Barcelona (SPAIN) 08338 Premia de Dalt, SPAIN

ES

T +34 937 07 79 70, F +34 937 909 532 info@labbox.com, www.labbox.com

#### 1.4. Emergency telephone number

Emergency number

+34 937 077 970 (For technical information\_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

| Country/Area   | Organisation/Company                                                                | Address                    | Emergency number | Comment |
|----------------|-------------------------------------------------------------------------------------|----------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service<br>(Belfast Centre)<br>Royal Victoria Hospital | Grosvenor Road<br>BT12 6BA | 0344 892 0111    |         |

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A H314

Full text of H and EUH statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Danger

Hazard statements (CLP) H314 - Causes severe skin burns and eye damage. Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor/physician.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

| Name             | Product identifier                      | %     | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP] |
|------------------|-----------------------------------------|-------|-----------------------------------------------------------------------|
| SODIUM BISULFATE | CAS-No.: 7681-38-1<br>EC-No.: 231-665-7 | 50-70 | Not classified                                                        |
| Hexanedioic acid | CAS-No.: 124-04-9<br>EC-No.: 204-673-3  | 1-10  | Not classified                                                        |

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Seek medical attention immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial

respiration if necessary. Get medical advice/attention.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off immediately all contaminated clothing.

Get medical advice/attention.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical

advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Give water to drink. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes eye irritation. Redness, pain.
Symptoms/effects after ingestion : Irritation to throat and respiratory system.

# 4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Making extinguishing agents environment-friendly.

Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

21/09/2023 (Revision date) EN (English) 2/10

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Evacuate area.

For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Only qualified personnel equipped with suitable

protective equipment may intervene. Keep upwind.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Only qualified personnel equipped with suitable protective equipment may intervene. Shovel

or sweep up and put in a closed container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Avoid any direct contact with the product. Avoid the formation of mists in the atmosphere.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Packaging materials : Keep only in the original container in a cool, well-ventilated place away from combustible

materials.

### 7.3. Specific end use(s)

Laboratory chemicals. Reagent for water analysis.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

National occupational exposure and biological limit values

| Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l) |         |
|------------------------------------------------|---------|
| Belgium - Occupational Exposure Limits         |         |
| OEL TWA 5 mg/m³                                |         |
| Denmark - Occupational Exposure Limits         |         |
| OEL TWA                                        | 5 mg/m³ |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l)  Finland - Occupational Exposure Limits  HTP (OEL TWA) 5 mg/m³  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 2 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA 5 mg/m³  OEL STEL 15 mg/m³  Italy - Occupational Exposure Limits  OEL TWA 5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| HTP (OEL TWA) 5 mg/m³  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 2 mg/m³  Ireland - Occupational Exposure Limits  OEL TWA 5 mg/m³  OEL STEL 15 mg/m³  Italy - Occupational Exposure Limits  OEL TWA 5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA 4 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                    |  |  |
| Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  Ireland - Occupational Exposure Limits  OEL TWA  5 mg/m³  OEL STEL  15 mg/m³  Italy - Occupational Exposure Limits  OEL TWA  5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA  4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA)  5 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA)  5 mg/m³  NDSCh (OEL STEL)  10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                             |  |  |
| AGW (OEL TWA)  Ireland - Occupational Exposure Limits  OEL TWA  5 mg/m³  OEL STEL  15 mg/m³  Italy - Occupational Exposure Limits  OEL TWA  5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA  4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA)  5 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA)  5 mg/m³  NDSCh (OEL STEL)  10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                |  |  |
| Ireland - Occupational Exposure Limits  OEL TWA 5 mg/m³  OEL STEL 15 mg/m³  Italy - Occupational Exposure Limits  OEL TWA 5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                     |  |  |
| OEL TWA 5 mg/m³ OEL STEL 15 mg/m³  Italy - Occupational Exposure Limits OEL TWA 5 mg/m³  Latvia - Occupational Exposure Limits OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                  |  |  |
| OEL STEL 15 mg/m³  Italy - Occupational Exposure Limits  OEL TWA 5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                              |  |  |
| Italy - Occupational Exposure Limits  OEL TWA 5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                 |  |  |
| DEL TWA 5 mg/m³  Latvia - Occupational Exposure Limits  OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                       |  |  |
| Latvia - Occupational Exposure Limits  OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                        |  |  |
| OEL TWA 4 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |
| Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |
| IPRV (OEL TWA) 4 mg/m³  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |
| Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |
| NDS (OEL TWA) 5 mg/m³  NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |  |
| NDSCh (OEL STEL) 10 mg/m³  Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |
| Portugal - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
| OEL TWA 5 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
| Slovenia - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |
| OEL TWA 2 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
| Spain - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |
| VLA-ED (OEL TWA) 5 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |
| Switzerland - Occupational Exposure Limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |
| MAK (OEL TWA) 3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |
| KZGW (OEL STEL) 6 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |

### 8.2. Exposure controls

# Appropriate engineering controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

# Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):







#### Eye and face protection

# Eye protection:

Chemical goggles or safety glasses

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

protective gloves

| Hand protection   |          |            |                |             |            |
|-------------------|----------|------------|----------------|-------------|------------|
| Туре              | Material | Permeation | Thickness (mm) | Penetration | Standard   |
| Disposable gloves |          |            |                |             | EN ISO 374 |

### **Respiratory protection**

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : white. Appearance : Powder. Odour : odourless. Odour threshold : Not available Melting point : Not available : Not available Freezing point : Not available Boiling point Flammability : Not available Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : Not applicable Auto-ignition temperature : Not applicable Decomposition temperature : Not available

pH : 1

pH solution Not available Viscosity, kinematic Not applicable Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C Not available Density : Not available Relative density : Not available Relative vapour density at 20 °C : Not applicable Particle size : Not available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions of use.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No additional information available

# 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

| Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l) |  |  |
|------------------------------------------------|--|--|
| LD50 oral rat 2490 mg/kg                       |  |  |
| LD50 oral > 11000 mg/kg                        |  |  |
| LD50 dermal rabbit > 7940                      |  |  |
| LC50 inhalation rat (mg/l) $> 7700 \mu g/m^3$  |  |  |
| Hexanedioic acid (124-04-9)                    |  |  |

| LD50 oral rat | 5560 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), |
|---------------|-----------------------------------------------------------------------------------------|
|               | 95% CL: 4650 - 6770                                                                     |

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: 1

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

| Hexanedioic acid (124-04-9)                   |                                                                                                                                       |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| NOAEL (chronic, oral, animal/male, 2 years)   | > 3750 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information)  |
| NOAEL (chronic, oral, animal/female, 2 years) | > 750 mg/kg bodyweight Animal: rat, Animal sex: female, Remarks on results: other:Effect type: carcinogenicity (migrated information) |
| Reproductive toxicity :                       | Not classified                                                                                                                        |

STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# 11.2. Information on other hazards

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

| Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l) |                                                                                                                                         |  |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|--|
| LC50 - Fish [1]                                | 59,5 mg/l                                                                                                                               |  |
| EC50 - Daphnia [1]                             | 190 mg/l                                                                                                                                |  |
| EC50 72h - Algae [1]                           | 26,6 mg/l                                                                                                                               |  |
| Hexanedioic acid (124-04-9)                    |                                                                                                                                         |  |
| EC50 72h - Algae [1]                           | 59 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |  |
| NOEC (chronic)                                 | 6,3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'                                                                       |  |

# 12.2. Persistence and degradability

| Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l)          |                    |  |
|---------------------------------------------------------|--------------------|--|
| Persistence and degradability Product is biodegradable. |                    |  |
| SODIUM BISULFATE (7681-38-1)                            |                    |  |
| Persistence and degradability                           | Rapidly degradable |  |
| Hexanedioic acid (124-04-9)                             |                    |  |
| Persistence and degradability                           | Rapidly degradable |  |

# 12.3. Bioaccumulative potential

| Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l) |                     |
|------------------------------------------------|---------------------|
| Bioaccumulative potential                      | No bioaccumulation. |

### 12.4. Mobility in soil

| Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l) |                        |
|------------------------------------------------|------------------------|
| Ecology - soil                                 | Adsorbs into the soil. |

# 12.5. Results of PBT and vPvB assessment

### Reagent ID 46 / Phosphate HR Nº1 (0 - 80 mg/l)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

# 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by : Not applicable. endocrine disrupting properties

# 12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

21/09/2023 (Revision date) EN (English) 7/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Must follow special treatment according to local regulation.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : Not regulated

**IMDG** 

Transport hazard class(es) (IMDG) : Not regulated

ATA

Transport hazard class(es) (IATA) : Not regulated

ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

### 14.4. Packing group

Packing group (ADR) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

#### 14.5. Environmental hazards

Other information : No supplementary information available

# 14.6. Special precautions for user

#### **Overland transport**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### **Inland waterway transport**

Not regulated

21/09/2023 (Revision date) EN (English) 8/10

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Rail transport

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### **National regulations**

#### Germany

VOC ordinance (ChemVOCFarbV)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

None of the components are listedNone of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

21/09/2023 (Revision date) EN (English) 9/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Denmark**

**Danish National Regulations** 

: Young people below the age of 18 years are not allowed to use the product

# 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

# **Full text of H- and EUH-statements:**

H314

Causes severe skin burns and eye damage.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

21/09/2023 (Revision date) EN (English) 10/10