

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date of issue: 16/11/2016 Revision date: 19/03/2025 Supersedes version of: 22/03/2022 Version: 1.5

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Alkaline powder detergent Labkem Cleaner A107 for automatic washing, AUX Name Trade name Alkaline powder detergent Labkem Cleaner A107 for automatic washing

KHC0-Q0SV-Y006-FF7J HFI

SOAP-107 Product code Type of product Detergent

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Laboratory use, Detergent

## 1.3. Details of the supplier of the safety data sheet

labbox labware s.l. Migjorn, 1

P.O. Box Barcelona (SPAIN) 08338 Premia de Dalt, SPAIN

T +34 937 07 79 70, F +34 937 909 532 info@labbox.com, www.labbox.com

### 1.4. Emergency telephone number

**Emergency number** 

: +34 937 077 970 (Technic information.Office hours.) Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420.Información en español (24h/365 días). Únicamente con la finalidad de proporcionar respuesta sanitaria en caso de urgencia (ONLY IN CASE OF EMERGENCY)"

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 1 H318 Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H and EUH statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

19/03/2025 (Revision date) EN (English) 1/10

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : TETRASODIUM GLUTAMATE DIACETATE; SODIUM CARBONATE; SODIUM SILICATE;

SODIUM HYDROXIDE

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P309+P311 - IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SODIUM CARBONATE	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2	< 60	Eye Irrit. 2, H319
SODIUM SILICATE	CAS-No.: 1344-09-8 EC-No.: 215-687-4	< 30	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
TETRASODIUM GLUTAMATE DIACETATE	CAS-No.: 51981-21-6 EC-No.: 257-573-7	< 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319
SODIUM HYDROXIDE	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	< 5	Skin Corr. 1A, H314

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
SODIUM HYDROXIDE		(0,5 ≤ C < 2) Eye Irrit. 2; H319 (0,5 ≤ C < 2) Skin Irrit. 2; H315 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C < 100) Skin Corr. 1A; H314

Full text of H and EUH statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Get medical advice/attention if you

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER/doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : In case of fire, all extinguishing media allowed.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

## 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering

the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

## 6.4. Reference to other sections

See Heading 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Store in a well-ventilated place. Keep cool. Keep container tightly

closed.

 $\begin{tabular}{ll} Incompatible products & : Strong acids. \\ Incompatible materials & : Metals. \\ Storage temperature & : 5 - 25 °C °C \\ \end{tabular}$ 

## 7.3. Specific end use(s)

Laboratory chemicals.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

National occupational exposure and biological limit values

SODIUM HYDROXIDE (1310-73-2)	
France - Occupational Exposure Limits	
Local name	Hydroxyde de sodium
VME (OEL TWA)	2 mg/m³
Remark	Valeurs recommandées/admises
Portugal - Occupational Exposure Limits	
Local name	Hidróxido de sódio
OEL Ceiling	2 mg/m³
Spain - Occupational Exposure Limits	
Local name	Hidróxido de sodio
VLA-EC (OEL STEL)	2 mg/m³
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL	2 mg/m³

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2. Exposure controls

### Personal protection equipment

### Personal protective equipment:

EN 374.

### Personal protective equipment symbol(s):





#### Eye and face protection

#### Eye protection:

Safety glasses

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Nitrile rubber (NBR) /

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)		0.11mm	6 (> 480 minutes)	

## Other skin protection

#### Materials for protective clothing:

Protective clothing

## **Respiratory protection**

## Respiratory protection:

Wear appropriate mask

Respiratory protection			
Device	Filter type	Condition	Standard
Disposable half mask	Type P2		

## **Environmental exposure controls**

## Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

: Solid Physical state Colour : white. Odour : characteristic. : Not available Odour threshold : Not available Melting point Freezing point : Not available : Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit Upper explosion limit : Not applicable Flash point : Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature : Not applicable Decomposition temperature : Not available pH solution : Not available Viscosity, kinematic : Not applicable Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50 °C : Not available

Vapour pressure : Not available
Vapour pressure at 50 °C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20 °C : Not applicable
Particle size : Not available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

No additional information available

## 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

No additional information available

## 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Alkaline powder detergent Labkem Cleaner A107 for automatic washing	
LD50 oral rat	2800 mg/kg Sodium carbonate ( 497-19-8 )
LD50 oral	> 2000 mg/kg Tetrasodium salt ( 51981-21-6 )
LD50 dermal rat	> 2000 mg/kg Tetrasodium salt ( 51981-21-6 )
LC50 inhalation rat (mg/l)	2,3 mg/l/4h Sodium carbonate ( 497-19-8 )

Skin corrosion/irritation : Causes skin irritation.

pH: 11

Serious eye damage/irritation : Causes serious eye damage.

pH: 11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

**SODIUM SILICATE (1344-09-8)** 

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

## 12.2. Persistence and degradability

Alkaline powder detergent Labkem Cleaner A107 for automatic washing			
Persistence and degradability Not established.			
TETRASODIUM GLUTAMATE DIACETATE (51	TETRASODIUM GLUTAMATE DIACETATE (51981-21-6)		
Persistence and degradability Rapidly degradable			
SODIUM CARBONATE (497-19-8)			
Persistence and degradability Rapidly degradable			
SODIUM SILICATE (1344-09-8)			
Persistence and degradability Rapidly degradable			

Rapidly degradable

## 12.3. Bioaccumulative potential

**SODIUM HYDROXIDE (1310-73-2)** 

No additional information available

Persistence and degradability

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

Not regulated for transport

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

**IMDG** 

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

## 14.4. Packing group

Packing group (ADR) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available

## 14.6. Special precautions for user

## **Overland transport**

Not regulated

## Transport by sea

Not regulated

### Air transport

Not regulated

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Inland waterway transport

Not regulated

## Rail transport

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(b)	TETRASODIUM GLUTAMATE DIACETATE

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

## **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

## **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

## **Detergent Regulation (648/2004)**

Contains no ingredient(s) required to be listed according to the Detergent Regulation (648/2004).

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

### **Drug Precursors Regulation (273/2004)**

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

## **National regulations**

#### Germany

VOC ordinance (ChemVOCFarbV)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

19/03/2025 (Revision date) EN (English) 9/10

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

#### **Denmark**

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.